Journal of Electron Spectroscopy and Related Phenomena, 64/65 (1993) vii–xi
0368-2048/93/$06.00 © 1993 – Elsevier Science Publishers B.V. All rights reserved

CONTENTS

Vibrations at Surfaces 1993 — Proceedings of the Seventh International Conference on Vibrations at Surfaces, Santa Margherita Ligure, Genoa, Italy, 14–17 June 1993

Foreword xiii

Biography of Giovanni Boato xiv

Committees and Sponsors xvi

Participants xvii

Vibrational Spectroscopy of Adsorbate on Solid–Vacuum Interface

Effect of substrate photoexcitation on the dynamics of the Si–H stretch for Si(111)/H
P. Guyot-Sionnest (Chicago, IL, USA) 1

Interadsorbate vibrational energy flow on stepped vicinal H/Si(111) surfaces
M. Morin (Ottawa, Ont., Canada), K. Kuhnke (Lausanne, Switzerland), P. Jakob (Munich, Germany), Y.J. Chabal, N.J. Levinos and A.L. Harris (Murray Hill, NJ, USA) 11

Infrared reflection–adsorption spectroscopy of dipole forbidden adsorbate vibrations
B.N.J. Persson and A.I. Volokitin (Jülich, Germany) 23

Negative ion resonances and surface vibrations
R.E. Palmer (Cambridge, UK) 39

Adsorption of hydrogen on stepped Ni and Pd surfaces. Observation of chemisorbed hydrogen molecules
C. Nyberg, K. Svensson, A.-S. Mårtensson and S. Andersson (Gothenburg, Sweden) 51

The role of kinks in the Si–H vibrational spectrum of vicinal Si(111)–$\langle\bar{1}\bar{1}2\rangle$ surfaces
P. Jakob (Garching, Germany), Y.J. Chabal and K. Raghavachari (Murray Hill, NJ, USA) 59

Dipole forbidden vibrational modes for NO and CO on Cu observed in the far IR
C.J. Hirschmugl (Upton, NY, USA), P. Dumas (Orsay, France), Y.J. Chabal (Murray Hill, NJ, USA), F.M. Hoffmann (Annandale, NJ, USA), M. Suhren (Orsay, France) and G.P. Williams (Upton, NY, USA) 67

Is the frequency of the internal mode of an adsorbed diatomic molecule a reliable guide to its local adsorption site?
K.M. Schindler, Ph. Hofmann, K.U. Weiß, R. Dippel, P. Gardner, V. Fritzsche, A.M. Bradshaw (Berlin, Germany), D.P. Woodruff (Coventry, UK), M.E. Davila, M.C. Asensio, J.C. Conesa (Madrid, Spain) and A.R. González-Elipe (Seville, Spain) 75

Vibrational modes of epitaxial monolayer adsorbates on semiconductor surfaces studied by Raman scattering
N. Esser, M. Köpp, P. Haier and W. Richter (Berlin, Germany) 85

The coadsorption of ethene and chlorine on Ag(100)
D.A. Slater, P. Hollins (Reading, UK) and M.A. Chesters (Norwich, UK) 95

Excitons and infrared spectroscopy of adlayers on ionic surfaces
D.J. Dai and G.E. Ewing (Bloomington, IN, USA) 101

IR–visible sum frequency mixing in C_2H_4/Pd(111)
G. Eichhorn, W. Heuer and H. Zacharias (Essen, Germany) 109

HREELS and RAIRS? A complete vibrational study of the surface benzoate species adsorbed on copper
B.G. Frederick (Liverpool, UK), T.S. Jones (London, UK), P.D.A. Pudney and N.V. Richardson (Liverpool, UK) 115

Temperature-dependent effects of substrate phonons on the line broadening and frequency shift of an admolecule
P. Piercy, Z. Ye and R.-f. Tu (Ottawa, Ont., Canada) 123

Ethylene and coadsorbed hydrogen on Si(100)-(2 × 1). Structure, bonding, and decomposition
W. Widdra, C. Huang (Santa Barbara, CA, USA), G.A.D. Briggs (Oxford, UK) and W.H. Weinberg (Santa Barbara, CA, USA) 129

An IRAS study of adsorbed acrylonitrile on Cu(110) surface
J. Kubota, J. Kondo, K. Domen and C. Hirose (Yokohama, Japan) 137

HREELS investigation of the coadsorption of CO and NO on Ni(111) at room temperature
L.S. Caputi, G. Chiarello, S. Molinaro, R.G. Agostino, A. Amoddeo and E. Colavita (Cosenza, Italy) 145

Morphological and chemical factors in the interpretation of infrared spectra from CO adsorbed on platinum
P.C. Welch, P.S.W. Mills, C. Mason and P. Hollins (Reading, UK) 151

Interferometric measurements of phase shift in the IR reflection–absorption spectroscopy
L.A. Kuzik and V.A. Yakovlev (Moscow, Russian Federation) 155

Thiol adsorption on gold studied by resonant second harmonic generation and phase sensitive detection
M. Buck and F. Eisert (Heidelberg, Germany) 159
The role of localized surface plasmons in photoemission from silver films. Direct and indirect transition channels
C. Douketis, V.M. Shalaev, T.L. Haslett, Z. Wang and M. Moskovits (Toronto, Ont., Canada) 167
Surface enhanced Raman scattering from molecules adsorbed on semiconductor surfaces
L.G. Quagliano (Rome, Italy), B. Jusserand, F.R. Ladan and A. Izrael (Bagneux, France) 177
Looking up the down staircase. Surface Raman spectroscopy as a probe of adsorbate orientation
M.A. Hines, T.D. Harris, A.L. Harris and Y.J. Chabal (Murray Hill, NJ, USA) 183
Intramolecular vibrational coupling of adsorbates probed using HREELS and ab initio calculations. Ethoxides adsorbed on Mo(110)
P. Uvdal (Lund, Sweden), A.D. MacKerell, Jr. (Baltimore, MD, USA) and B.C. Wiegand (Cincinnati, OH, USA) 193
Contribution to the study of the dynamical properties of the B–Si(111)$\sqrt{3} \times \sqrt{3}$ surface. Effect of the dopant behaviour, from the infrared to the visible energy range
M. Fontaine and J.M. Layet (Marseille Cedex, France) 201
FTIRAS study of CO adsorption, desorption and displacement reaction by NO on Ni(100)
J. Yoshinobu and M. Kawai (Wako, Saitama, Japan) 207
Vibrational structure of excited states of molecules on oxide surfaces
R.M. Jaeger, J. Libuda, M. Bäumer, K. Homann, H. Kuhlenbeck and H.-J. Freund (Bochum, Germany) 217
Growth of CO multilayers on the monolayer adsorbate CO/NaCl(100). A high resolution Fourier transform infrared study
J. Heidberg, M. Suhren and H. Weiss (Hannover, Germany) 227
Vibrational and thermodynamic features of CO adsorbed onto Al_2O_3 and Ca-doped Al_2O_3
C. Morterra, V. Bolis, G. Magnacca and G. Cerrato (Turin, Italy) 235
Vibrational investigation of CO adsorbed on gold deposited on TiO_2
F. Boccuzzi (Turin, Italy), S. Tsubota and M. Haruta (Ikeda, Japan) 241
Interactions of CO molecules adsorbed on gold
J. France and P. Hollins (Reading, UK) 251
Vibrational lifetime of surface species of zeolites by picosecond IR pulses
M. Furuki, J. Kubota, Y. Goto (Yokohama, Japan), F. Wakabayashi (Tokyo, Japan), J. Kondo, A. Wada, K. Domen and C. Hirose (Yokohama, Japan) 259
HREELS study of subsurface oxygen on the Ni(100) surface
M. Oehlers, Th. Vinchon (Orsay Cedex, France), J. Szeftel (Gif-sur-Yvette Cedex, France) and P. Soukiassian (Orsay Cedex, France) 269
Interaction of water with potassium on graphite. A HREELS study
D.V. Chakarov, L. Österlund and B. Kasemo (Gothenburg, Sweden) 279
The oxidation of acetaldehyde on Cu{111}. A high resolution electron energy loss spectroscopy study
C.L.A. Lamont, W. Stenzel, H. Conrad and A.M. Bradshaw (Berlin, Germany) 287
Determination of the geometry of adsorbed unsaturated molecules through the analysis of the CH out-of-plane deformation modes
G. Ramis, G. Busca and V. Lorenzelli (Genoa, Italy) 297
Revisiting the α-Cr_2O_3–CO interaction. An FTIR and HRTEM study
D. Scarano, G. Spoto, S. Bordiga, G. Ricchiardi and A. Zecchina (Turin, Italy) 307
Preparation of a well ordered aluminum oxide layer on NiAl(001)
P. Gaßmann, R. Franchy and H. Ibach (Jülich, Germany) 315
Laser excited Na atoms near metallic and dielectric surfaces
F. Balzer and H.-G. Rubahn (Göttingen, Germany) 321
HREEL spectroscopy of thin ion beam deposited C:H(D) films
J. Biener, A. Schenk, B. Winter and J. Küppers (Garching, Germany) 331
'Internal' and 'external' vibrational modes of CO_2/NaCl(001) studied by Fourier transform infrared spectroscopy and helium atom scattering
J. Heidberg, E. Kampshoff, R. Kühnemuth, O. Schönekäs (Hannover, Germany), G. Lange, D. Schmicker, J.P. Toennies, R. Vollmer (Göttingen, Germany) and H. Weiss (Hannover, Germany) 341

Vibrational Spectroscopy of Adsorbate on Solid–Liquid Interface

Vibrational spectroscopy at metal–solution interfaces. Some perspectives and prospects for electrochemical surface science
M.J. Weaver, N. Kizhakevarium, X. Jiang, I. Villegas, C. Stuhlmann, A. Tolia and X. Gao (West Lafayette, IN, USA) ... 351
Unenhanced surface Raman spectra of self-assembled molecules adsorbed on an Au(111) surface
T. Sueoka, J. Inukai and M. Ito (Yokohama, Japan) 363

Surface-enhanced infrared ATR spectroscopy for in situ studies of electrode/electrolyte interfaces
M. Osawa, K.-i. Ataka, K. Yoshii and T. Yotsuyanagi (Sendai, Japan) 371
Raman study of electrochemical reactions of a Pt electrode in H_2SO_4 solution
T. Maeda, Y. Sasaki, C. Horie (Ishinomaki, Japan) and M. Osawa (Sendai, Japan) 381
CO species of CH_3OH electrochemical decomposition on platinum studied by visible–IR sum-frequency generation using CLIO infrared free electron laser
A. Peremans, A. Tadjeddine, M. Suhren, R. Prazeres, F. Glotin, D. Jaroszynski and J.-M. Ortega (Orsay Cedex, France) . 391
In situ infrared characterization of the electrochemical dissolution of silicon in a fluoride electrolyte
F. Ozanam and J.-N. Chazalviel (Palaiseau Cedex, France) 395
On the theory of friction and boundary lubrication
B.N.J. Persson (Jülich, Germany) 403

Chemisorption and Reactions at Surfaces

Reaction of hydrogen with InP(100)4 × 2. Surface properties
F. Stietz, V. Persch, Th. Allinger (Kassel, Germany) and J.A. Schaefer (Bozeman, MT, USA) 413
Substrate induced interactions between water and carbon monoxide on Ni(100) and Cu(100)
T.H. Ellis, E.J. Kruus and H. Wang (Montreal, Quebec, Canada) 421
Carbon monoxide hydrogenation on the Ru(001) surface at low temperature using gas-phase atomic hydrogen
W.J. Mitchell, J. Xie, Y. Wang and W.H. Weinberg (Santa Barbara, CA, USA) 427
In situ FTIRAS at elevated pressure. Stability and decomposition kinetics of reaction intermediates
M.D. Weisel, F.M. Hoffmann (Annandale, NJ, USA) and C.A. Mims (Toronto, Ont., Canada) 435
SPR-based sensors studied by electron energy loss spectroscopy and attenuated total reflection
I. Faulkner, W.R. Flavell (Manchester, UK), J. Davies, R.F. Sunderland and C.S. Nunnerley (Chalfont St Giles, UK) ... 441
Infrared emission study of vibrationally excited molecules formed by catalytic oxidation of hydrocarbons
K. Kunimori, T. Iwade and H. Uetsuka (Tsukuba, Ibaraki, Japan) 451
Formic acid adsorption on silver films. The creation of polymeric adlayers
R. Raval and S. Munro (Aberdeen, UK) 461
The interaction of amino acids with metals. Methionine on gold
E. Cooper, F. Krebs, McD. Smith and R. Raval (Aberdeen, UK) 469
The adsorption and thermal decomposition of dimethylzinc on Pt(111)
D.J. Oakes, J.C. Wenger, M.A. Chesters and M.R.S. McCoustra (Norwich, UK) 477
Some vibrational properties of clean and water vapour exposed Cu(111)/Na,K
S.-Å. Lindgren, C. Svensson and L. Walldén (Gothenburg, Sweden) 483
Interaction of InP(110) with atomic hydrogen. A stretching mode investigation
U. del Pennino, C. Mariani (Modena, Italy), A. Amoddeo (Cosenza, Italy), F. Proix and C. Sébenne (Paris Cedex, France) 491
HREELS study of CH_3I and CH_3 adsorbed on Rh(111) surface
F. Solymosi and G. Kilvényi (Szeged, Hungary) 499
The orientation analysis from polarization characteristics of the surface vibrational SFG spectrum of HCO_2 on MgO(001) surface
H. Yamamoto, N. Akamatsu, A. Wada, K. Domen and C. Hirose (Yokohama, Japan) 507
The structure of bisulfate and perchlorate on a Pt(111) electrode surface studied by infrared spectroscopy and ab initio molecular orbital calculation
Y. Sawatari, J. Inukai and M. Ito (Yokohama, Japan) 515

Sticking and Trapping Desorption Phenomena

Vibrational heating and atom transfer with the STM
R.E. Walkup, D.M. Newns and Ph. Avouris (Yorktown Heights, NY, USA) 523
Effects of vibrational excitation in photostimulated desorption
Y. Murata and K. Fukutani (Tokyo, Japan) 533
Vibrational effects in the dissociation and scattering of hydrogen at a Cu(111) surface
C.T. Rettner, H.A. Michelsen and D.J. Auerbach (San Jose, CA, USA) 543
Chaotic behaviour in vibrational predesorption
G.P. Brivio (Milan, Italy) 555
Theory of photostimulated desorption and dissociation of molecular oxygen on metal surfaces
B. Hellsing (Gothenburg, Sweden) and V.P. Zhdanov (Novisibirsk, Russian Federation) 563
How steeply curved reaction paths influence dissociation and vibrational excitation processes
G.R. Darling and S. Holloway (Liverpool, UK) 571

Adsorption of molecular oxygen on Ag(110)
M. Rocca, L. Vattuone, C. Boragno and U. Valbusa (Genoa, Italy) 577
Sticking of rare gas atoms in wetting and nonwetting systems
D. Menzel, W. Brenig, T. Brunner, W. Frieß and H. Schlichting (Munich, Germany) 583
Vibrational modes and linewidths for hydrogen adsorbed on Ru(10$\bar{1}$0)
M. Gruyters and K. Jacobi (Berlin, Germany) 591
CO_2 adsorption on the MgO(100) single crystal surface detected by polarization FTIR spectroscopy and SPALEED
J. Heidberg, D. Meine and B. Redlich (Hannover, Germany) 599
Adsorption of ethanol on Ni(100) surfaces
Th. Kratochwil, M. Wittmann and J. Küppers (Bayreuth, Germany) 609
The C–O stretch as a probe of adsorbate-induced structural changes on surfaces: Ir{100}–CO
R. Martin, P. Gardner, R. Nalezinski, M. Tüshaus and A.M. Bradshaw (Berlin, Germany) 619
Influence of substrate electronic excitation on atomic trajectories and molecular dissociation dynamics in surface scattering under glancing incidence conditions
K.J. Snowdon, R. Harder, A. Nesbitt, W. Mix, A. Golichowski (Osnabrück, Germany) and M. Kato (Aichi, Japan) 627
A model study of non-adiabatic effects in H_2 fragmentation
G.A. Gates and S. Holloway (Liverpool, UK) 633

Phonon and Phonon Driven Processes at Surfaces

Surface phonon anomaly induced by adsorption
E. Hulpke and J. Lüdecke (Göttingen, Germany) 641
Anharmonic effects at metal surfaces
T.S. Rahman (Upton, NY, USA) and Z.J. Tian (St. Catharines, Ont., Canada) 651
Theoretical investigation of the mechanism for Xe transfer in the atomic switch
S. Gao, M. Persson and B.I. Lundqvist (Gothenburg, Sweden) 665
Elastic and inelastic interactions of He and Ne atoms with metal surfaces
V. Bortolani (Modena, Italy), D. Cvetko, F. Floreano (Trieste, Italy), A. Franchini (Modena, Italy), A. Lausi, A. Morgante, M. Peloi (Trieste, Italy), G. Santoro (Modena, Italy), F. Tommasini, T. Zambelli and A.F. Bellman (Trieste, Italy) 671
High resolution He atom scattering on NiO(100)
J.P. Toennies, G. Witte, A.M. Shikin and K.H. Rieder (Göttingen, Germany) 677
Shear horizontal vibrations at the (0001) surface of beryllium
J.B. Hannon (Philadelphia, PA, USA) and E.W. Plummer (Knoxville, TN, USA) 683
Anharmonicity on the Cu(110)–(2 × 1)O surface
H. Dürr (Philadelphia, PA, USA) and A.P. Baddorf (Oak Ridge, TN, USA) 691
Surface vibrations at clean and hydrogenated GaAs(110) from ab initio molecular dynamics
R. Di Felice, A. Shkrebtii, F. Finocchi, C.M. Bertoni (Rome, Italy) and G. Onida (Orsay Cedex, France) 697
Multiphonon scattering from surfaces. Comparison of approximations
S.M. Weera and J.R. Manson (Clemson, SC, USA) 707
External vibrations of molecules on surfaces. The case of CO and benzene
G. Witte, H. Range, J.P. Toennies (Göttingen, Germany) and Ch. Wöll (Heidelberg, Germany) 715
The observation of well defined two and three phonon bands in time of flight spectra of helium atoms scattered from the c(2 × 2) structure of CO on Cu(001)
J. Ellis, A. Reichmuth (Cambridge, UK), J.P. Toennies and G. Witte (Göttingen, Germany) 725
Surface polaritons and phonon spectrum of sodium chlorate crystal
E.V. Alieva, L.A. Kuzik, V.A. Yakovlev (Troitzk, Moscow Reg., Russian Federation), G. Mattei and M. Pagannone (Monterotondo Scalo, Italy) 733
Shear horizontal surface phonons on Ni(110)
M. Balden, S. Lehwald, H. Ibach (Jülich, Germany), A. Ormeci and D.L. Mills (Irvine, CA, USA) 739
He atom scattering study of the surface dynamics of an epitaxial one monolayer KBr film on RbCl(001). A shell model analysis
J.G. Skofronick, G.G. Bishop, J. Duan, E.S. Gillman, S.A. Safron (Tallahassee, FL, USA), D. Bonart and U. Schröder (Regensburg, Germany) 747
Intrafilm and interface interaction determination by inelastic helium atom scattering
N.S. Luo, P. Ruggerone, J.P. Toennies (Göttingen, Germany), G. Benedek (Milan, Italy) and V. Celli (Charlottesville, VA, USA) 755
Coupling of surface bounded acoustic modes to plate modes in piezoelectric media
M. Weihnacht (Dresden, Germany) 763
Surface relaxation and surface dynamics of crystals of the rutile structure. MgF_2(110)
G. Pelg, U. Schröder (Regensburg, Germany), W. Kress (Stuttgart, Germany) and F.W. de Wette (Austin, TX, USA) 769

A novel approach for the calculation of localized vibrational surface states on the tip of an isolated linear atomic chain extending from the surface boundary into the bulk of two-dimensional systems
Y. Pennec, O. Rafil and A. Khater (Le Mans, France) 777
Dispersion relations of acoustic phonons on a corrugated surface
L. Giovannini, F. Nizzoli (Ferrara, Italy) and A.M. Marvin (Miramare-Grignano, Italy) 787

Diffusion and Phase Transition at Surfaces

Inelastic effects close to the roughening transition of Ag(110)
G. Bracco, C. Malò, L. Pedemonte and R. Tatarek (Genoa, Italy) 791
Vibrational lineshape and diffusion constant of adsorbed atoms
L.Y. Chen and S.C. Ying (Providence, RI, USA) 797
Surface diffusion in the 2D phase transition of CO_2 adsorbed on NaCl(100)
J. Heidberg, E. Kampshoff, R. Kühnemuth and O. Schönekäs (Hannover, Germany) 803
Collective and tracer diffusion in low-cover adsorbates
R. Ferrando, E. Scalas (Genoa, Italy) and M. Torri (Trieste, Italy) 813

New Developments

Electron energy loss spectroscopy with resolution below 1 meV
H. Ibach (Jülich, Germany) 819
Spectral restoration in HREELS
B.G. Frederick, G.L. Nyberg and N.V. Richardson (Liverpool, UK) 825

Vibrational Spectroscopy of Novel and Technologically Important Materials

Structural, vibrational and electronic properties of C_{60} thin films investigated by high resolution electron energy loss spectroscopy
G. Gensterblum, J.-J. Pireaux, P. Thiry, R. Caudano, Ph. Lambin and A.A. Lucas (Namur, Belgium) 835
IR spectra of CO_2 and N_2O adsorbed on C_{60} and other carbon allotropes. A comparative study
M. Fastow, Y. Kozirovski and M. Folman (Haifa, Israel) 843
Adhesion of a thin silicon oxide film on a polycarbonate substrate
S. Vallon, B. Drévillon (Palaiseau, France), C. Sénémaud, A. Gheorghiu (Paris, France) and V. Yakovlev (Edison, NJ, USA) 849
Raman investigation of porous silicon surface during cw-laser irradiation
E.D. Obraztsova, L.P. Avakyants and G.B. Demidovich (Moscow, Russian Federation) 857
Raman scattering from trimethylaluminum (TMA). Free and adsorbed molecules on GaAs(100)
H. Sano, J. Sakai, G. Mizutani and S. Ushioda (Sendai, Japan) 865
Raman spectra and electrical resistivity measurements of K_xC_{60} ($x = 0$, 3 and 6) thin films
K.L. Akers and M. Moskovits (Toronto, Ont., Canada) 871
Vibrational modes of C_{60} fullerene on Si(100)2 × 1 surface
S. Suto, A. Kasuya, O. Ikeno, N. Horiguchi (Sendai, Japan), Y. Achiba (Tokyo, Japan), T. Goto and Y. Nishina (Sendai, Japan) 877
Polarized FTIR spectra of C_{60} layers and the adsorbates of CO and CO_2 on C_{60}
J. Heidberg, J. Elstner, W. Lassmann (Hannover, Germany) and M. Folman (Haifa, Israel) 883
Intermolecular coupling of monolayer C_{60}
W.S. Bacsa (Lausanne, Switzerland) and J.S. Lannin (University Park, PA, USA) 893
Raman scattering and infrared absorption intensities of fullerenes from the bond charge model
S. Sanguinetti, G. Benedek and E. Fumagalli (Milan, Italy) 899

Author Index 905

Subject Index 909